

## **Safety Inspection Checklist**

Area / Item	Check	$\checkmark$
First Aid Kit	Well stocked, check "use-by" dates on all items	
Fire extinguisher	Checked by a professional 12 monthly	
Emergency phone numbers	Emergency numbers up to date and legible	
Telephone	Have access to a telephone in the workshop	
Personal Protective Equipment	Protect eyes if there is a risk of flying objects	
(PPE)	Protect ears with extreme noise	
Eyes, Ears, Lungs & Body	Protect lungs when there is dust	
	Protect body with a cover-all and use gloves	
Escape routes	All Exits clear and marked	
Walkways	Clearly defined walkways to Exits	
Tripping hazards	Extension leads and airlines out of walkways	
	Boxes and clutter removed from floor	
	Clear walkways to fire exits	
Shelves and storage areas	Shelves – items positioned securely	
	Stacked neatly to prevent falling objects	
Earthquake Proofing	Cabinets and lockers attached to walls	
Lighting	Good lighting over benches and machines	
Machines Serviceable	All belts okay – no fraying or wear	
	Belts tensioned correctly and guards in place	
	Mounts in good repair	
	All bolts tight and No surface rust	
	Machines bolted in position	
	No unusual vibration or noisy operation	
Guards	All guards in place and correctly adjusted	
Electrical Hazards	All cords and plugs sound and no exposed wires	
	Isolating transformer or RCD in use on all electrical	
Flammables	Stored away from electrical equipment	
	Stored near a doorway	
	Used in well ventilated area	
	Lockable if youngsters frequent premises	
Caustic substances	Use PPE to protect against harmful effects – eg gloves, mask	
	and coveralls	
	Used in well ventilated area	
Spills	Wipe up all spills when they happen	
Overloading	Consult manufacturers specifications on loading capacities	
	for machines and lifting gear	
Tools and Equipment	All hand-tools on a shadow board and returned after use	
	All cutting tools kept sharp	
	Unplug power supply on machines if there is a risk if	
	children entering workshop unattended	